

KEOFITT CLASSIC W25




KEOFITT CLASSIC W25 SAMPLING VALVE

The KEOFITT CLASSIC W25 Sampling Valve is the largest KEOFITT sampling valve. Designed for sampling of very high viscosity products in the range of 0-250,000 cP and particles less than 17 mm in diameter. Sampling of more viscous liquids is possible, only will it take longer (depending on process pressure).

This valve is used in a range of industries such as food, dairy, pharmaceutical and bio-tech for products such as:

- Peanut Butter
- Fruit Pulp
- Syrup
- Cellulose
- Fruit Mixed Products
- Cosmetics

Available with PTFE membrane.



KEOFITT CLASSIC W25 VALVE - BODIES

		WELDING	BODIES	CONNECTION BODIES		
		TANK WELDING	PIPE WELDING	VARIVENT Ø68	CLAMP 3"	
W25 BODIES	1" CLAMP		on request			
5 BO		870001		870009	870003	
W2	WELDING LINER	9587H824	on request	on tequest	On tequess	

KEOFITT CLASSIC W25 VALVE - HEADS

		 <u> </u>	 	
		TYPE N PNEUMATIC 0-6 BAR	TYPE B NO SPRIN 0-12 BAF	
W25 HEADS	PTFE			
		875544	875547	

www.sks-online.com

KEOFITT CLASSIC W25 - PARTS & ACCESSORIES

	O-RINGS	400208 EPDM 60X3	900091 GASKET EPDM 1"	900093 GASKET EPDM 3"	
ACCESSORIES	MEMBRANES	870055 PTFE			
W25 PARTS & ACCESSORIES	FOR VALVE HEADS	870255 TOOL PTFE			
	MISC.	800014 ADAPTER TC/1"	900086 CLAMP RING 1"	900187 CLAMP RING FOR W25 VALVE	